----- Long-Term Care ------ Local Health Departments

F	PAGE 1										
-	POPULATION ESTIMATES										
	Total 2	000 Populat	ion	972,730							
		quare mile .n state (1-72) .								
İ	Age	Female	Male	Total							
	0-14 15-19 20-24 25-29 30-34 35-39 40-44 45-54 55-64 65-74 75-84 85+	94,470 35,700 35,600 31,710 34,230 39,470 39,400 66,650 41,340 32,340 25,230 11,670 487,690	99,640 38,180 39,130 34,220 36,220 40,090 40,530 67,960 39,590 28,040 16,970 4,600	194,050 73,880 74,750 65,960 70,440 79,550 79,900 134,600 80,920 60,360 42,150 16,260 972,730							
	Age	Female	Male	Total							
l	0-17	114,700	121,180	235,810							
	18-44	195,880	206,830	402,720							
	45-64 65+	107,990 69,240	107,550 49,610	215,520 118,770							
	0.5	07,240	47,010	110,770							

Age	Female	Male	Total
0-17	114,700	121,180	235,810
18-44	195,880	206,830	402,720
45-64	107,990	107,550	215,520
65+	69,240	49,610	118,770
Total	487,690	485,030	972,730

Poverty Estimates for 1997 Estimate (C.I.+/-)All ages 74,891 not 27,914 Ages 0-17 available

----- Employment -----Average wage for jobs covered by unemployment compensation N/ANote: based on place of work

Labor Force Estimates	Annual Average
Civilian Labor Force Number employed Number unemployed	525,532 510,044 15,488
Unemployment rate	2.9%

Community Options and MA Waiver Programs

	Clients	Costs
COP	1,768	\$6,631,350
MA Waiver *		
CIP1A	199	\$14,004,554
CIP1B	1,959	\$61,599,242
CIP2	893	\$10,780,697
COP-W	1,401	\$10,989,624
CSLA	56	\$130,346
Brain Injury	45	\$2,730,637
Total COP/Wvrs	4,974	\$106,866,451

\$4,983,191 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.

* Waiver costs reported here include federal funding.

	Clients	costs
Eligible and		
Waiting	2,693	n/a

(Family Care data not available)

Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.

2 E

Patients Patients per 10,000 pop.	12,438 128
Nursing Homes Licensed beds Occupancy rate Residents on Dec.31 Residents age 65 or older per 1,000 population	81 7,508 86.6% 6,409

			Per 10,000
Staffing - FTE		Number	Population
Total staff		288	3.0
Administrative		31	0.3
Professional sta	aff	167	1.7
Technical/Parapa	rof.	37	0.5
Support staff		52	0.6
Funding Total Local Taxes		050,489 590,133	Per capita \$13.53 \$8.71

----- Licensed Establishments -----

Type	Capacity	Facilities
Bed & Breakfast	466	148
Camps	17,076	179
Hotels, Motels	15,566	382
Tourist Rooming	215	81
Pools		555
Restaurants		4,226
Vending		71

----- WIC Participants -----

	Number
Pregnant/Postpartum	7,929
Infants	8,396
Children, age 1-4	10,594
Total	26,919

----- Cancer Incidence -----

Primary Site	1999 Number
Breast	756
Cervical	201
Colorectal	579
Trachea, Bronchus, Lung	551
Prostate	639
Other sites	1,738
Total	4,464

TOTAL LIVE BIRTHS				NATAI rder	Births	Percent		Status		
		•	First		5,133	42	of Moth	.er	Births	Percent
Crude Live Birth Rate		12.5	Second		4,047	33	Marrie	d	9,035	74
General Fertility Rat		56.4	Third		1,941	16	Not ma	rried		26
-			Fourth	or higher	1,070	9	Unknow		. 0	0
Live births with repo	rted		Unknow		0	0				
congenital anomalies		3 1.7%					Educati	on		
			First P	renatal			of Moth	er	Births	Percent
Delivery Type	Births	Percent	Visit		Births	Percent		tary or les		2
Vaginal after					10,510	86		igh school		10
previous cesarean	351	3			1,342	11		chool		28
Forgong	201	2		imester	246	2				
Other vaginal	9 199	75	No vis	ita	68	1	Collec	ollege e graduate	4 091	34
Primary cesarean	1 504	12		n			Unknow		31	<.5
Repeat cesarean	836	7	OIIVIIOM	11	۷5	`	OIIVIIOM	11	JΙ	\. 5
Other or unknown		•	Number	of Prenatal			Smokino	Status		
octice of anatown	O	0		oi fichacai sits	=	Percent	of Moth		Births	Percent
Birthweight	Rirthe	Percent	No vis		68	1	Smoker		1,923	16
<1,500 gm	119		1-4		223	2	Nonsmo		10,262	84
1 500 2 400	C17	г 1	5-9		2,280	19		n	10,202	_
2 500+ cm	11,455	94.0	10-12		5,844	48	Olivilow	11	0	\. 5
2,500+ gm Unknown	11,455	94.0	13+		3,740	31				
UIIKIIOWII	U	U	T3+ Unknow		3,740	<.5				
			Low Birth	 weight		Trimest	er of Fir	st Prenatal	Visit	
			(under 2,	500 gm)	1st Tr	imester	2nd Tr	imester	Other/	Unknown
Race of Mother	Births F		Births P		Births	Percent	Births	Percent	Births	Percent
White	11,203	92	644 63	5.7	9,761 378	87	1,152 104	10 20	290	3
Black	512	4	63	12.3	378	74	104	20	30	6
Other	472	4		6.1	368			18	19	4
Unknown	4	<.5			*		*		*	
			Low Birth				om of Tim	st Prenatal		
	Fo	rtility	(under 2,		1at Tr	imester	-	imester		Unknown
Age of Mother	Births	_	Births P			Percent		Percent		Percent
<15	7		2	28.6	3		3		1	
15-17	349	17		7.2	228	_	89	_	32	
18-19	695	45		7.5	519	75	139		37	_
20-24	2,489	70		6.8	1,985	80	405		99	
25-29	•	70 116				80 89			99 76	2
	3,664		198		3,274		314		76 49	
30-34	3,332	97 25		5.0	3,053	92	230			
35-39	1,385	35	99	7.1	1,217	88			31	
40+	267	7	24	9.0	230	86	25	9	12	4
Unknown	3		*	•	*	•	*	•	*	•

----- MORBIDITY ------ MORTALITY ------

REPORTED*	CV CEC	\cap E	מבו במדבה	DICENCEC

Disease	Number
Campylobacter Enteritis	260
Giardiasis	219
Hepatitis Type A	14
Hepatitis Type B**	49
Hepatitis NANB/C	218
Legionnaire's	8
Lyme	76
Measles	***
Meningitis, Aseptic	35
Meningitis, Bacterial	7
Mumps	***
Pertussis	***
Salmonellosis	136
Shiqellosis	43
Tuberculosis	16

- * 2000 provisional data
- ** Includes all positive HBsAg test results
- *** Unavailable at time of printing

Sexually Transmitted Disease

midden fram fram fram fram fram fram fram fram	
Chlamydia Trachomatis	2,087
Genital Herpes	249
Gonorrhea	832
Syphilis	15

Children in Grades K-12 by Compliance Level

-	
Compliant	163,734
Non-compliant	2,583
Dercent Compliant	98 4

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS 7,697 Crude Death Rate 791

Age	Deaths	Rate
1-4	14	
5-14	29	22
15-19	43	58
20-34	159	75
35-54	686	233
55-64	660	816
65-74	1,362	2,257
75-84	2,274	5,395
85+	2,401	14,776

Infant

Dischess in the

Mortality	Deaths	Rate
Total Infant	69	5.7
Neonatal	47	3.9
Postneonatal	22	1.8
Unknown	•	

Race of Mother		
White	58	5.2
Black	9	
Other	1	
Unknown	1	•

Birchweight		
<1,500 gm	24	201.7
1,500-2,499 gm	17	
2,500+ gm	28	2.4
Unknown		

Perinatal		
Mortality	Deaths	Rate
Total Perinatal	117	9.5
Neonatal	47	3.9
Fetal	70	5.7

Se]	Lec	:te	d
T	3		٠

Underlying Cause	Deaths	Rate
Heart Disease (total)	2,224	229
Ischemic heart disease	e 1,581	163
Cancer (total)	1,836	189
Trachea/Bronchus/Lung	474	49
Colorectal	224	23
Female Breast	145	30*
Cerebrovascular Disease	e 611	63
Lower Resp. Disease	384	39
Pneumonia & Influenza	237	24
Accidents	356	37
Motor vehicle	150	15
Diabetes	218	22
Infectious & Parasitic	95	10
Suicide	100	10

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	104	11
Other Drugs	106	11
Both Mentioned	14	

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	11,746	166
Alcohol-Related	1,519	57
With Citation:		
For OWI	1,030	9
For Speeding	1,317	4
Motorcyclist	410	13
Bicyclist	250	2
Pedestrian	225	5

Per Average Charge Per Average Charge 1,000 Stay Average Per 1,000 DISEASE / Stav Average Per DISEASE / Number Pop (Days) Charge Number Pop (Days) Charge Capita AGE GROUP AGE GROUP Capita Injury-Related: All Alcohol-Related Total 2,159 2.2 3.7 \$4,190 Total 8,399 8.6 4.5 \$12,633 \$109 \$9 <18 813 3.4 3.1 \$9,448 \$33 18-44 1,266 3.1 3.3 \$3,370 \$11 2,412 6.0 \$75 18-44 4.0 \$12,553 45-64 719 3.3 4.0 \$5,166 \$17 1,870 8.7 4.6 \$13,424 45-64 \$116 Pneumonia and Influenza 65+ 3,304 27.8 5.2 \$13,026 \$362 Total 3,227 3.3 5.1 \$9,199 \$31 310 1.3 3.2 \$5,334 507 2.4 4.8 \$9,813 Injury: Hip Fracture <18 \$7 Total 993 1.0 5.7 \$15,193 \$16 45-64 \$23 65+ 2,124 17.9 5.5 \$9,523 65+ 907 7.6 5.6 \$15,029 \$115 \$170 Injury: Poisonings Cerebrovascular Disease Total 775 0.8 2.1 \$5,095 Total 2,629 2.7 4.6 \$10,855 \$4 \$29 18-44 452 1.1 1.9 \$4,916 \$6 45-64 498 2.3 4.7 \$14,417 \$33 65+ 2,024 17.0 4.5 \$9,523 \$162 Psychiatric Chronic Obstructive Pulmonary Disease 5,206 5.4 9.6 \$8,166 Total 2,185 2.2 3.9 \$6,838 Total \$44 \$15 314 1.3 2.1 \$3,239 303 0.8 2.8 \$4,730 <18 959 4.1 13.9 \$12,499 <18 \$4 \$51 18-44 45-64 2,567 6.4 7.3 \$5,762 18-44 1,091 9.2 4.4 \$7,954 \$37 \$4

 45-64
 960
 4.5
 9.9
 \$7,869

 65+
 720
 6.1
 12.1
 \$11,362

 \$35 45-64 \$18 65+ \$73 \$69 Drug-Related 518 0.5 5.0 \$4,288 Coronary Heart Disease Total \$2 5,266 5.4 4.2 \$18,676 Total \$101 18-44 342 0.8 4.6 \$3,600 \$3 45-64 1,840 8.5 3.6 \$19,072 \$163 65+ 3,145 26.5 4.6 \$18,595 \$492 Total Hospitalizations Total 103,714 106.6 4.0 \$8,654 \$923 18,617 79.0 3.1 \$4,401 29,887 74.2 3.3 \$6,524 Malignant Neoplasms (Cancers): All <18 \$347 Total 3,779 3.9 5.6 \$14,935 \$58 18-44 \$484 19,974 92.7 4.2 \$11,135 \$1,032 35,236 296.7 5.0 \$11,303 \$3,354
 18-44
 443
 1.1
 4.5
 \$14,099

 45-64
 1,270
 5.9
 5.2
 \$15,161

 65+
 2,004
 16.9
 6.0
 \$14,569
 \$16 45-64 \$89 \$246 Neoplasms: Female Breast (rates for female population) ----- PREVENTABLE HOSPITALIZATIONS* ------Total 384 0.8 2.1 \$7,451 \$6 Neoplasms: Colo-rectal 18-44 Total 529 0.5 7.7 \$18,095 \$10 370 3.1 8.2 \$18,914 \$59 65+ Neoplasms: Lung 329 0.3 6.3 \$16,604 * Hospitalizations for conditions where timely and effective Total ambulatory care can reduce the likelihood of hospitalization. Diabetes The definition of preventable hospitalizations in 2000 1,271 1.3 5.1 \$10,160 Total \$13 is consistent with the 1997 definition. 65+ 490 4.1 5.9 \$10,521 \$43 Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.